bibliotheca Tattle-Tape™ gate clear

superior security, modern design



With a modern and attractive clear and mirrored panel design, the bibliotheca Tattle-Tape™ gate clear not only offers superior detection using the latest DSP technology, but perfectly integrates with any library environment. Designed for use with Tattle-Tape™ Security Strips, this system detects all EM strips in any orientation. Along with a selection of built-in LED alarm light colors to choose from, it features a modern finish and is completely safe for all magnetic media.





engage





benefits of the Tattle-Tape™ gate clear

Reduce unwanted alarms

The Tattle-Tape™ gate clear can detect when an activated strip is leaving the library, significantly reducing false alarms at the gate when people enter. With multiple pedestals used to cover a larger entrance-way, the alarm lights on the gates also identify which aisle caused the alarm, helping staff locate items that triggered the alarm faster.

Integrated with libraryConnect™

Staff can remotely access libraryConnect™ for in-depth statistics and configuration options. This allows staff to remotely upgrade firmware, run monthly reports and change the alarm colors and patterns.

Genuine Tattle-Tape™ technology

With powerful algorithms, the genuine $Tattle-Tape^{TM}$ technology can distinguish between common metal items and any EM strip to yield the most accurate results. This means less false alarms and fewer inconveniences for both users and staff.

Superior detection of items in any orientation

Using the latest in DSP technology, the Tattle-Tape™ gate clear can detect EM strips regardless of the orientation within the gates, offering the highest level of detection, even in the nosiest of environments.

Integrated, visible people counter

The on-board bi-directional people counter accurately counts the number of people entering and leaving the library. This information is transferred to libraryConnect™ as well as the control box, which has a convenient display for quick access to live stats.

Sleek, modern design

We designed our new Tattle-Tape™ gate clear to fit within new modern and updated library spaces. With the complimentary mirrored finish, your security gates easily match your library interior.



Selectable alarm color and pattern

Both visual and audible security alarm settings are completely configurable by the library. With 8 LED color alarms and patterns to choose from, the Tattle-Tape $^{\mathsf{TM}}$ gate clear ensures both users and staff are alerted of items that have not been properly checked out.

Customizable ambient lighting

The Tattle-Tape™ gate clear boasts an attractive and modern ambient lighting design that illuminates the entire panel. With a range of color options to choose from, libraries can customize the standard ambient color as well as the alarm color pattern. The well-lit Tattle-Tape™ gate clear adds an attractive and colorful impact at the library entrance. With endless ambient and alarm color combinations, choose the perfect lighting combination for your library atmosphere.

Flexible configuration and installation

Simple set-up and maintenance allows our trained technicians to cause little disruption to your library and staff can quickly troubleshoot concerns with our dedicated phone support teams.





engage







Specifications : bibliotheca Tattle-Tape™ gate clear

Dimensions (w x d x h): Millimetres: 70 (Max at base) \times 610 \times 1781 (± 3) Inches: 2.75 (Max at base) x 24 x 72.125 (± 0.1) Kilograms: 43 Weight (per gate): Pounds: 95 Material: Transparent panel with mirrored inserts, black ABS with light texture base Supply voltage: 100/120, 220/240 VAC, 50 / 60 Hz Power: Power consumption: 3.0A / 1.5A Data: Ethernet (TCP/IP) Optimized for detection of Tattle-Tape™ markers Performance: Optimal coverage is achieved within 39.4 inches / 1,000 mm of separation Multi-color*, customer selectable LED lights Variable alarm pattern and adjustable volume Alarm: Highly visible integrated digital display to monitor alarm counts, ingoing and outgoing patron traffic, and diagnostics *Available colors: red, cyan, magenta, blue, green, yellow, white, & rotate mode Standards compliance: CE, RCM, ETSI, FCC, IC, ADA, DDA, ETL and CSA Operating: 10 °C to +40 °C/Storage: -40 °C to +55 °C Temperature range: Configurations: Standard configuration can support up to 6 panels to provide total coverage of 6.0m Multiple installation options including direct attachment to the floor with either in floor wiring or a wire way and a baseplate option. The on-board tuning allows the gates to be Installation: placed within 45.7cm (18") from any metal objects, giving more freedom than ever to install within confined areas. Software is not required for the Tattle-Tape™ gate clear to operate, however, when used Software: in conjunction with our staffConnect™ gate software, enhanced reporting is available Integrated bi-directional people counter. Additional features: Ability to trigger external devices such as CCTV, voice alarms and entry gates. Options: Ability to customize ambient LED lights with 10 color options and various patterns

Although we make every effort to ensure information is correct at the time of release, it is possible that specifications and features may vary or change over time. bibliotheca therefore makes no representations or warranties as to the completeness or accuracy of the information contained within this document.

